

### AMENDMENTS TO THE CLAIMS


This listing of claims will replace all prior versions, and listings, of claims in the application:

#### **Listing of Claims:**

Claims 1-30 (canceled).


31. (New) Clear, or translucent liquid fabric softener composition comprising:
- A. from about 2% to about 80% by weight of the composition of a fabric softener;
  - B. a principal solvent selected from TMPD having a ClogP of from about -2.0 to about 2.6; present at a level of from about 1% to about 40% by weight of the composition;
  - C. from about 0.5 % to about 10% by weight of the composition of electrolyte;
  - D. from about 0.1% to about 15% by weight of the composition of phase stabilizer selected from nonionic surfactants derived from saturated and/or unsaturated primary, secondary, and/or branched, amine, amide, amine-oxide fatty alcohol, fatty acid, alkyl phenol, and/or alkyl aryl carboxylic acid compounds having from about 6 to about 22 carbon atoms in a hydrophobic chain, wherein at least one active hydrogen of said compounds is ethoxylated with  $\leq 50$  ethylene oxide moieties to provide an HLB of from about 8 to about 20; and mixtures thereof.
32. (New) The composition of Claim 31 wherein said fabric softener is present at a level of from about 13% to about 75% and has a phase transition temperature of less than about 35°C; said principal solvent has a ClogP of from about -1 to about 1.6; and the level of said electrolyte is from about 1% to about 2.5% by weight of the composition.
33. (New) The composition of Claim 32 wherein said fabric softener has a phase transition temperature of less than about 20°C; said principal solvent has a ClogP of from about -1 to about 1; and the level of said electrolyte is from about 1% to about 2% by weight of the composition.
34. (New) The composition of Claim 33 wherein said fabric softener has a phase transition temperature of less than about 10°C.
35. (New) The composition of Claim 31 wherein said fabric softener is biodegradable softener active chosen from:

(A) compounds having the formula:



wherein each R substituent is hydrogen or short chain C<sub>1</sub>-C<sub>6</sub> alkyl or hydroxyalkyl group, benzyl, or mixtures thereof; each m is 2 or 3; each n is from 1 to about 4; each Y is -O-(O)C-, -C(O)-O-, -NR-C(O)-, or -C(O)-NR-; each R<sup>1</sup> is a hydrocarbyl, or substituted hydrocarbyl, group, the sum of carbons in each R<sup>1</sup>, plus one when Y is -O-(O)C-, being C<sub>12</sub>-C<sub>22</sub>; the average Iodine Value of the parent fatty acid of the R<sup>1</sup> group being from about 40 to about 140; and wherein the counterion, X<sup>-</sup> is any softener-compatible anion;

(B) softener having the formula:




wherein each Y, R, R<sup>1</sup>, and X<sup>(-)</sup> have the same meanings as before; and

(C) mixtures thereof.


36. (New) The composition of Claim 31 wherein said fabric softener is selected from the group consisting of:

(A) compounds having the formula:



wherein each R substituent is hydrogen or short chain C<sub>1</sub>-C<sub>6</sub> alkyl or hydroxyalkyl group, benzyl, or mixtures thereof; each m is 2 or 3; each n is from 1 to about 4; each Y is -O-(O)C-, or -C(O)-O-; each R<sup>1</sup> is a hydrocarbyl, or substituted hydrocarbyl, group, the sum of carbons in each R<sup>1</sup>, plus one when Y is -O-(O)C-, being C<sub>12</sub>-C<sub>22</sub>; the average Iodine Value of the parent fatty acid of the R<sup>1</sup> group being from about 40 to about 140; and wherein the counterion, X<sup>-</sup> is any softener-compatible anion;

(B) softener having the formula:




wherein each Y, R, R<sup>1</sup>, and X<sup>(-)</sup> have the same meanings as before;

(C) softener having the formula:


$\text{R}_{4-m} - \text{N}^{(+)} - \text{R}_m^1 \text{A}^-$   
 wherein each m is 2 or 3, each R<sup>1</sup> is a C<sub>6</sub>-C<sub>22</sub>, but no more than one being less than about C<sub>12</sub> and then the other is at least about 16, hydrocarbyl, or substituted hydrocarbyl substituent, where the Iodine Value is from about 70 to about 140 with a cis/trans ratio of from about 1:1 to about 50:1; each R is H or a short chain C<sub>1</sub>-C<sub>6</sub> alkyl or hydroxyalkyl group, group, benzyl, or (R<sup>2</sup> O)<sub>0-4</sub>H wherein R<sup>2</sup> is a C<sub>1-6</sub> alkylene group; and A<sup>-</sup> is a softener compatible anion;

(D) softener having the formula:



wherein each R, R<sup>1</sup>, and A<sup>-</sup> have the definitions given above; each R<sup>2</sup> is a C<sub>1-6</sub> alkylene group; and G is an oxygen atom or an -NR- group;


(E) softener having the formula:



wherein R<sup>1</sup>, R<sup>2</sup> and G are defined as above;


(F) reaction products of substantially unsaturated and/or branched chain higher fatty acids with dialkylenetriamines in, e.g., a molecular ratio of about 2:1;

(G) softener having the formula:




wherein R, R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup> and A<sup>-</sup> are defined as above;

(H) the reaction product of substantially unsaturated and/or branched chain higher fatty acid with hydroxyalkylalkylenediamines in a molecular ratio of about 2:1, said reaction products containing compounds of the formula:



wherein R<sup>1</sup>, R<sup>2</sup> and R<sup>3</sup> are defined as above;

(I) softener having the formula:



wherein R, R<sup>1</sup>, R<sup>2</sup>, and A<sup>-</sup> are defined as above; and

(J) mixtures thereof.

37. (New) The composition of Claim 31, wherein said electrolyte is chosen from: MgI<sub>2</sub>, MgBr<sub>2</sub>, MgCl<sub>2</sub>, Mg(NO<sub>3</sub>)<sub>2</sub>, Mg<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, Mg<sub>2</sub>P<sub>2</sub>O<sub>7</sub>, MgSO<sub>4</sub>, magnesium silicate, NaI, NaBr, NaCl, NaF, Na<sub>3</sub>(PO<sub>4</sub>), NaSO<sub>3</sub>, Na<sub>2</sub>SO<sub>4</sub>, Na<sub>2</sub>SO<sub>3</sub>, NaNO<sub>3</sub>, NaIO<sub>3</sub>, Na(PO<sub>4</sub>)<sub>3</sub>, Na<sub>4</sub>P<sub>2</sub>O<sub>7</sub>, sodium silicate, sodium metasilicate, sodium tetrachloroaluminate, sodium tripolyphosphate, Na<sub>2</sub>Si<sub>3</sub>O<sub>7</sub>, sodium zirconate, CaF<sub>2</sub>, CaCl<sub>2</sub>, CaBr<sub>2</sub>, CaI<sub>2</sub>, CaSO<sub>4</sub>, Ca(NO<sub>3</sub>)<sub>2</sub>, KI, KBr, KCl, KF, KNO<sub>3</sub>, KIO<sub>3</sub>, K<sub>2</sub>SO<sub>4</sub>, K<sub>2</sub>SO<sub>3</sub>, K(PO<sub>4</sub>)<sub>3</sub>, K<sub>4</sub>(P<sub>2</sub>O<sub>7</sub>), potassium pyrosulfate, potassium pyrosulfite, LiI, LiBr, LiCl, LiF, LiNO<sub>3</sub>, AlF<sub>3</sub>, AlCl<sub>3</sub>, AlBr<sub>3</sub>, AlI<sub>3</sub>, Al<sub>2</sub>(SO<sub>4</sub>)<sub>3</sub>, Al(PO<sub>4</sub>), Al(NO<sub>3</sub>)<sub>3</sub>, aluminum silicate, hydrates of these salts, salts with mixed sodium, potassium, magnesium and/or calcium cations, and mixtures thereof.

38. (New) The composition of Claim 31, wherein said phase stabilizer is nonionic surfactant derived from an alkyl aryl carboxylic acid compound, wherein said compound has from about 8 to

about 18 carbon atoms in the alkyl or alkenyl chain and contains from about 5 to about 15 of said ethylene oxide moieties to provide an HLB of from about 10 to about 18.

39. (New) The composition of Claim 38, wherein said compound contains from about 8 to about 12 of said ethylene oxide moieties to provide an HLB of from about 11 to about 15.

40. (New) The composition of Claim 31, wherein the electrolyte provides a composition having a  $G'$  of  $\leq 20$  Pa and a  $G''$  of  $\leq 6$  Pa wherein  $G'$  and  $G''$  are measured on dilute solutions with maximum viscosity, the composition having higher  $G'$  and  $G''$  without said electrolyte being present.

41. (New) The composition of Claim 40, wherein  $G'$  and  $G''$  are measured over a strain range of 0.1 -1.0.

42. (New) The composition of Claim 31, wherein:

(A) there is from about 22% to about 45% by weight of the composition of fabric softener which is a diester quaternary ammonium fabric softener;

(B) there is from about 3% to about 7% of said principal solvent;

(C) there is from about 1.5 % to about 3% by weight of the composition of electrolyte; and

(D) there is from about 4% to about 7% by weight of the composition of nonionic surfactant derived from saturated and/or unsaturated primary, secondary, and/or branched, fatty alcohol having from about 8 to about 12 carbon atoms in a hydrophobic chain ethoxylated with from about an average of about 3 to about 10 ethylene oxide moieties and optionally, up to about 1% of a second nonionic surfactant which is a block copolymer comprising blocks of ethylene oxide and propylene oxide.

43. (New) The composition of Claim 42 wherein:

(A) there is from about 28% to about 35% by weight of the composition of fabric softener which is a diester quaternary ammonium fabric softener derived by reacting fatty acyl source with triethanolamine and quaternizing the reaction product;

(B) there is from about 4% to about 6% of TMPD;

(C) there is from about 1.75 % to about 2.5% by weight of the composition of electrolyte which is either  $MgCl_2$  or mixtures of  $MgCl_2$  and  $CaCl_2$ ; and

Appl. No. 09/309,128  
Atty. Docket No. 7258XR  
Amdt. dated February 23, 2004  
Reply to Office Action of August 22, 2004  
Customer No. 27752

(D) there is from about 5% to about 6% by weight of the composition of nonionic surfactant derived from saturated primary and/or branched fatty alcohols having from about 9 to about 11 carbon atoms in a hydrophobic chain ethoxylated with from an average of about 7 to about 9 ethylene oxide moieties and from about 0.5% to about 1% of a second nonionic surfactant which is a block copolymer comprising of ethylene oxide and propylene oxide.